

"

"

"

"

" (50)

30-31.03.2024

11,	, 50m	,	,	9-10		
49.		14			47.93	83 3
50.		15			47.95	82 3
51.		15		.	48.02	82 3
52.		15		.	48.31	81 3
53.		14		.	48.82	78 3
54.		14		.	49.78	74 3
55.		14		.	50.28	71 3
56.		15		.	50.71	70 3
57.		15		.	51.21	68 3
58.		15	" "	.	52.96	61 3
59.		14		.	53.55	59 3
60.		14		.	53.65	59 3
61.		15		.	55.71	52 3
62.		14		.	55.78	52 3
63.		15		.	59.65	43
64.		15		.	1:03.51	35
65.		15		.	1:03.64	35
66.		15		.	1:04.81	33
67.		15		.	1:07.35	29
68.		15		.	1:07.80	29
69.		15		.	1:11.19	25
70.		15		.	1:12.39	24
71.		15		.	1:20.35	17
72.		14		.	1:29.76	12
DSQ		15		.		2
DSQ		15		.		
DNS		14		.		
DNS		14		.		
DNS		14		.		
DNS		14		.		
DNS		14		.		
DNS		14		.		
DNS		14	1	.		
11-13						
1.		11	6		27.46	441 II
2.		11			28.42	398 III
3.		11			29.12	370 III
4.		12			29.70	348 III
5.		11			29.78	346 III
6.		11	3 "	"	30.17	332 1
7.		11			30.34	327 1
8.		11			30.38	326 1
9.		11	3 "	"	30.50	322 1
10.		11			30.62	318 1
11.		13			31.40	295 1
12.		12			31.54	291 1
13.		12			31.75	285 1
14.		11			31.76	285 1
15.		11	3 "	"	31.82	283 1
16.		11			31.86	282 1
17.		13			31.94	280 1
18.		12			31.97	279 1

"

"

"

"

" (50)

30-31.03.2024

11,	, 50m	,	,	11-13			
19.		12			31.99	279	1
20.		11	3 "	"	32.00	279	1
21.		11	3 "	"	32.01	278	1
22.		11			32.23	273	1
23.		11	1		32.26	272	1
24.		11	3 "	"	32.27	272	1
25.		11			32.46	267	1
26.		12			32.50	266	1
27.		11	6		32.60	263	1
28.		12			32.68	261	1
29.		11			32.71	261	1
		11	3 "	"	32.71	261	1
31.		11			32.78	259	1
32.		11			32.81	258	1
33.		11			32.92	256	1
34.		11	1		32.97	255	1
35.		11	" "		32.98	254	1
36.		11			32.99	254	1
37.		13	6		33.18	250	1
38.		11			33.25	248	1
39.		13			33.38	245	1
40.		11	6		33.40	245	1
41.		11			33.47	243	1
42.		11			33.53	242	1
43.		13			33.55	242	1
44.		11	6		33.60	241	1
45.		11			33.90	234	1
46.		11			34.00	232	1
47.		12			34.06	231	1
48.		11	3 "	"	34.11	230	1
		12			34.11	230	1
50.		12			34.18	228	1
51.		12			34.20	228	1
52.		12	6		34.40	224	1
53.		11			34.50	222	1
		13			34.50	222	1
55.		11			34.88	215	1
56.		12			34.96	213	1
57.		11			35.00	213	1
58.		12			35.02	212	1
59.		13	12		35.10	211	1
60.		12	6		35.39	206	1
61.		13			35.46	205	1
62.		13			35.48	204	1
63.		13	12		35.54	203	1
64.		11			35.96	196	1
65.		11	3 "	"	35.98	196	1
66.		13			36.13	193	2
67.		11	1		36.24	192	2
		12	3 "	"	36.24	192	2
69.		11			36.28	191	2
70.		11	3 "	"	36.29	191	2

"

"

"

"

" (50)

30-31.03.2024

11,	, 50m	,	,	11-13		
71.		11			36.30	191 2
72.		12	3 "	"	36.36	190 2
73.		12			36.40	189 2
74.		13	12		36.58	186 2
75.		12			36.60	186 2
76.		12	3 "	"	36.76	184 2
77.		12			36.86	182 2
78.		11			36.99	180 2
79.		12			37.00	180 2
80.		12			37.31	176 2
81.		11	12		37.75	169 2
82.		12	3 "	"	37.81	169 2
83.		11			37.86	168 2
84.		13			37.87	168 2
85.		12			38.01	166 2
86.		11			38.02	166 2
87.		12			38.41	161 2
88.		13			38.53	159 2
89.		11			38.61	158 2
90.		13	1		39.06	153 2
91.		12			39.12	152 2
92.		13	12		39.21	151 2
93.		13			39.24	151 2
94.		12		-	39.26	151 2
95.		13			39.39	149 2
96.		12			39.58	147 2
97.		13	12		39.67	146 2
		11	1		39.67	146 2
99.		13	12		39.75	145 2
100.		11		.	40.24	140 2
		13		.	40.24	140 2
102.		13	6		40.27	139 2
103.		12	6		40.28	139 2
104.		13	6		40.37	138 2
105.		13			40.43	138 2
106.		12	6		40.58	136 2
107.		12			40.60	136 2
108.		13			40.67	135 2
109.		12			40.70	135 2
110.		12	"	"	40.91	133 2
111.		12	6		41.09	131 2
112.		11			41.17	131 2
113.		12			41.37	129 2
114.		13	1 ()		41.62	126 2
115.		12	"	"	41.64	126 2
116.		13			41.71	125 2
117.		11	"	"	41.87	124 2
118.		13			42.18	121 2
119.		13			42.29	120 2
120.		12		.	42.38	120 2
121.		12		.	42.81	116 2
122.		12			42.91	115 2

"

"

"

"

" (50)

30-31.03.2024

11,	, 50m	,	,	11-13		
123.		13			43.00	114 2
124.		13	1		43.35	112 2
125.		13	1		43.41	111 2
126.		11			44.09	106 2
127.		13	6		44.29	105 2
128.		13			44.46	104 2
129.		12	3 "	"	45.71	95 2
130.		13			46.10	93 3
131.		13			46.24	92 3
132.		13			46.44	91 3
133.		11			46.58	90 3
134.		12		.	46.72	89 3
135.		11			47.17	87 3
136.		12			47.74	84 3
137.		13	6		48.29	81 3
138.		13			48.47	80 3
139.		12		.	51.40	67 3
140.		13			54.01	58 3
141.		13		.	55.14	54 3
142.		13	1		55.63	53 3
143.		13			55.96	52 3
144.		13	1		57.57	47
DSQ		13				
DSQ		12				2
DSQ		13	6			2
DSQ		13		.		2
DNS		12				
DNS		11				
DNS		11				
DNS		11	3 "	"		
DNS		13	1			
DNS		12	1			
14-15						
1.		09			26.16	510 II
2.		09			26.29	503 II
3.		09			26.51	490 II
4.		10			26.84	472 II
5.		09	1		26.88	470 II
6.		10	6		26.90	469 II
7.		10	3 "	"	27.26	451 II
8.		10	6		27.27	450 II
9.		09			27.39	444 II
10.		09			27.46	441 II
11.		09			27.70	430 II
12.		10	1		27.72	429 II
13.		09	12		28.12	411 III
14.		09			28.40	399 III
15.		10			28.63	389 III
16.		09			28.65	388 III
17.		09	3 "	"	28.78	383 III
18.		09			28.83	381 III

"

"

"

"

" (50)

30-31.03.2024

11,	, 50m	,	,	14-15			
19.	10	3 "	"		28.87	379	III
20.	10				28.89	379	III
21.	10	3 "	"		28.93	377	III
22.	09		-		28.96	376	III
23.	09				29.21	366	III
24.	09	1			29.32	362	III
25.	10	1			29.34	361	III
26.	10	3 "	"		29.39	360	III
27.	09				29.43	358	III
28.	10	6			29.64	351	III
29.	10	1 ()		29.69	349	III
30.	10				29.76	346	III
31.	10				29.91	341	III
	10	" "			29.91	341	III
33.	09	1			29.92	341	III
34.	10				30.25	330	1
35.	09				30.29	328	1
36.	09	1			30.31	328	1
37.	10				30.36	326	1
38.	09	1			30.38	326	1
39.	10				30.40	325	1
40.	09				30.56	320	1
41.	09				30.57	320	1
42.	09				30.83	311	1
43.	10	1			31.05	305	1
44.	09	3 "	"		31.10	303	1
45.	10	1 ()		31.39	295	1
46.	10	3 "	"		31.76	285	1
47.	10	3 "	"		31.78	284	1
48.	10				31.90	281	1
49.	10				31.91	281	1
	10				31.91	281	1
51.	10	1			32.00	279	1
52.	10	3 "	"		32.21	273	1
53.	10				32.29	271	1
54.	10	3 "	"		32.36	269	1
55.	10	3 "	"		32.40	268	1
56.	10				32.62	263	1
57.	10				32.69	261	1
58.	10				32.71	261	1
59.	10	3 "	"		32.72	260	1
60.	10				32.80	259	1
61.	10				32.81	258	1
62.	10				32.93	256	1
63.	09				32.97	255	1
64.	09				33.25	248	1
65.	09				33.35	246	1
66.	09	1 ()		33.77	237	1
67.	10	3 "	"		33.81	236	1
68.	09				34.94	214	1
69.	09				35.55	203	1
70.	09				35.92	197	1

"

"

"

"

" (50)

30-31.03.2024

11,	, 50m	,	,	14-15			
71.		10			37.00	180	2
72.		09	" "		37.37	175	2
73.		10	" "		38.27	163	2
74.		10			39.02	153	2
75.		10	3 "	"	39.13	152	2
76.		10			42.68	117	2
77.		10			46.00	93	2
DNS		10					
DNS		10					
DNS		10	1				
DNS		09	3 "	"			
DNS		10					
DNS		10	1				
16-18							
1.		08		- -	23.43	710	Q
2.		08			23.81	677	Q
3.		06			24.89	592	Q I
4.		07			24.94	589	Q I
5.		08			25.11	577	Q I
6.		08	3 "	"	25.50	551	Q II
7.		07			25.64	542	Q II
8.		07			25.97	521	Q II
9.		07	1		25.98	521	R II
10.		07			26.15	511	R II
11.		06			26.33	500	II
12.		08	12		26.38	498	II
		07			26.38	498	II
14.		08	1		26.42	495	II
		08			26.42	495	II
16.		08			26.43	495	II
17.		06			26.44	494	II
18.		06			26.46	493	II
19.		07	3 "	"	26.57	487	II
20.		07			26.71	479	II
21.		07	12		26.77	476	II
22.		07	3 "	"	26.80	474	II
23.		08			26.88	470	II
		07	3 "	"	26.88	470	II
		07	3 "	"	26.88	470	II
26.		08			26.91	469	II
		08	1		26.91	469	II
28.		07	3 "	"	27.15	456	II
29.		07			27.18	455	II
		08			27.18	455	II
		07	1		27.18	455	II
32.		06			27.25	451	II
33.		08	1		27.31	448	II
34.		06			27.34	447	II
35.		07	3 "	"	27.37	445	II
36.		08			27.50	439	II
37.		07			27.62	433	II

"

"

"

"

" " (50)

30-31.03.2024

11,	, 50m	,	,	16-18			
38.		08			27.65	432	II
39.		08	1		28.00	416	III
40.		08			28.31	402	III
41.		07			28.38	399	III
42.		08	3 "	"	28.54	393	III
43.		08	3 "	"	28.58	391	III
44.		08	12		28.64	389	III
45.		08	3 "	"	28.65	388	III
46.		06			28.88	379	III
47.		07			28.91	378	III
48.		08	1		28.93	377	III
49.		08			29.05	372	III
50.		07	1		29.11	370	III
51.		07			29.40	359	III
52.		07	" "		29.44	358	III
53.		08			29.79	345	III
54.		08			30.04	337	1
55.		07			30.09	335	1
56.		08	.		30.48	322	1
57.		08			30.80	312	1
58.		06			31.33	297	1
59.		07			31.52	291	1
60.		07			31.98	279	1
61.		07	6		32.33	270	1
62.		08			36.64	185	2
63.		08			39.44	149	2
DNS		08					
DNS		08					
DNS		08					
DNS		08					
DNS		07					